



# PATIENT HOSPITAL BED

## 5 FUNCTION ICU BED ( ABS PANELS )

- ① Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ① 8 G perforated CRCA sheet top in four sections.
- ① Electrically operated Four Separated Actuators for Maneuvering Back rest, knee rest, trendlenburg/reverse trendlenburg & height position by hand remote control system.
- ① Collapsible safety side railings at both sides.




Size.

1900L x 900W x 460/750H mm.



## ELECTRIC 5 FUN ICU BED ( AL RAIL- )

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 8 G perforated CRCA sheet top in four sections.
- ⦿ Electrically operated Four Separated Actuators for Maneuvering **Back rest, knee rest, trendlenburg / Reverse trendlenburg & Height position** by hand remote control system.



**Size.** 1800L x 900W x 460/750H mm.

## MANUAL 5 FUN ICU BED ( AL RAIL- )

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 8 G perforated CRCA sheet top in four sections.
- ⦿ Manually operated Four Separated Actuators for Maneuvering **Back rest, knee rest, trendlenburg / Reverse trendlenburg & Height position** by hand Crank control system.



**Size.** 1800L x 900W x 460/750H mm.



## LABOUR DELIVERY BED

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 8 G perforated CRCA sheet top in four sections.
- ⦿ Manually operated Four Separated Actuators for Maneuvering **Back rest, knee rest, trendlenburg / Reverse trendlenburg & Height position** by hand Crank control system.




**Size.** 1800L x 900W x 460/750H mm.



## ELECTRIC 5 FUN ICU BED ( AL RAIL- )

- ① Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ② 8 G perforated CRCA sheet top in four sections.
- ③ Electrically operated Four Separated Actuators for Maneuvering **Back rest**, **knee rest**, **trendlenburg** / **Reverse trendlenburg** & **Height position** by hand remote control system.



**Size.** 1800L x 900W x 460/750H mm.



## FULL FOWLER BED ( AL RAIL- )

- ① Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ② 8 G perforated CRCA sheet top in four sections.
- ③ Manually operated Four Separated Actuators for Maneuvering **Back rest** & **knee rest** by hand **Crank** control system.
- ④ Collapsible safety side railings at both sides.



**Size.** 1800L x 900W x 600H mm.

## FULL FOWLER BED ( ABS PANELS )

- ① Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ② 8 G perforated CRCA sheet top in four sections.
- ③ Manually operated Four Separated Actuators for Maneuvering **Back rest** & **knee rest** by hand **Crank** control system.
- ④ Collapsible safety side railings at both sides.



**Size.** 1800L x 900W x 600H mm.





## FULL FOWLER BED ( SS RAILING )

- ⊙ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⊙ 18 G perforated CRCA sheet top in four sections.
- ⊙ Electrically operated Four Separated Actuators for Maneuvering **Back rest & knee rest** by hand CRANK system.



Size. 1800L x 900W x 600H

## FULL FOWLER BED ( SS PANELS )

- ⊙ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⊙ 8 G perforated CRCA sheet top in four sections.
- ⊙ Manually operated Four Separated Actuators for Maneuvering **Back rest & knee rest** by hand Crank control system.



Size. 1800L x 900W x 600H mm.



## FULL FOWLER BED ( ECONOMY )

- ⊙ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⊙ 8 G perforated CRCA sheet top in four sections.
- ⊙ Manually operated Four Separated Actuators for Maneuvering **Back rest & knee rest** by hand Crank control system.



Size. 1800L x 900W x 600H mm.



## SEMI FOWLER BED ( AL RAILING )

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 18 G perforated CRCA sheet top in four sections.
- ⦿ Electrically operated Four Separated Actuators for Maneuvering **Back rest** by hand **CRANK** system.
- ⦿ Collapsible Aluminium Side Railings.



Size.

1800L x 900W x 600H mm.



## SEMI FOWLER BED ( ABS PANELS )

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 8 G perforated CRCA sheet top in four sections.
- ⦿ Manually operated Four Separated Actuators for Maneuvering **Back rest** by hand **Crank** control system.



Size.

1800L x 900W x 600H mm.

## SEMI FOWLER BED ( SS PANELS )

- ⦿ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⦿ 8 G perforated CRCA sheet top in four sections.
- ⦿ Manually operated Four Separated Actuators for Maneuvering **Back rest** by hand **Crank** control system.



Size.

1800L x 900W x 600H mm.





## SEMI FOWLER BED ( WIRE MESH )

- ⊙ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⊙ 18 G perforated CRCA sheet top in four sections.
- ⊙ Electrically operated Four Separated Actuators for Maneuvering **Back rest** by hand **CRANK** system.



**Size.** 1800L x 900W x 600H mm.

## SEMI FOWLER BED ( ECONOMY )

- ⊙ Frame work made of rectangular CRCS tubes mounted on 12.5cms dia swiveling castors- two with brakes.
- ⊙ 8 G perforated CRCA sheet top in four sections.
- ⊙ Manually operated Four Separated Actuators for Maneuvering **Back rest** by hand **CRANK** control system.



**Size.** 1800L x 900W x 600H mm.



## PLAIN BED ( SS PANELS )

- ⊙ Frame work made of rectangular CRCS tubes mounted on Circular tubes.
- ⊙ 8 G perforated CRCA sheet top in four sections.
- ⊙ SS Panels Both Side.




**Size.** 1800L x 900W x 600H mm.



## PLAIN BED ( WIRE MESH )

- ⊙ Top of the bed made with WIRE MESH sheet.
- ⊙ Frame work made with rectangular MS pipe.
- ⊙ Strong legs mounted on rubber stumps.
- ⊙ Detachable head and foot bows in MS.
- ⊙ Pre treaded and epoxy powder coated finishing.




**Size.** 1800L x 900W x 600H mm.



## ATTENDANT BED

- ⊙ High-grade imitation leather seat
- ⊙ Foldable design.
- ⊙ High strength iron pipe materials.
- ⊙ PStrengthen the toilet seat cover thickening.
- ⊙ Solid body with easy to clean..




**Size.** 1800L x 600W x 450H mm.



## PAEDIATRIC BED

- ⊙ Tubular Pipe framework.Top of M.S. Sheet with perforations.
- ⊙ Mounted on four 10 cms. dia castors (2 with brakes).
- ⊙ Drop side, safety railing at both side.
- ⊙ Pre-treated and epoxy powder coated finish.
- ⊙ Built in back rest, Safety railing on both sides, Designed with full length drop side railing.




**Size.** 1350L x 750W x 600H mm.





## BABY COT ( SS BODY )


- ⊙ Top of the bed made with WIRE MESH sheet.
- ⊙ Frame work made with rectangular MS pipe.
- ⊙ Strong legs mounted on rubber stumps.
- ⊙ Detachable head and foot bows in MS.
- ⊙ Pre treated and epoxy powder coated finishing.



**Size.** 900L x 500W x 600H mm.

## BABY CHANGING TABLE

- ⊙ High-grade imitation leather seat
- ⊙ Foldable design.
- ⊙ High strength iron pipe materials.
- ⊙ PStrengthen the toilet seat cover thickening.
- ⊙ Solid body with easy to clean..




**Size.** 80L x 45W x 90H mm.



## BABY CRADLE

- ⊙ Tubular Pipe framework. Top of M.S. Sheet with perforations.
- ⊙ Mounted on four 10 cms. dia castors (2 with brakes).
- ⊙ Drop side, safety railing at both side.
- ⊙ Pre-treated and epoxy powder coated finish.
- ⊙ Built in back rest, Safety railing on both sides, Designed with full length drop side railing.



**Size.** 900L x 350W x 975H mm.



## PATIENT EXAMINATION COUCH

- ⌚ Adjustable backrest, Rugged structure.
- ⌚ Comfortable mattress, Enhanced durability.
- ⌚ Machine pressed CRCA sheet structure.
- ⌚ Hydraulically backrest adjustment by Gas Spring.
- ⌚ Top Is Upholstered & Covered With Washable Synthetic Material.
- ⌚ Three Individual Drawers & Cabinets with Separate Door at Bottom.




**Size.** 1830L x 600W x 810H mm.



## EXAMINATION COUCH

- ⌚ High-grade imitation leather seat
- ⌚ Foldable design.
- ⌚ High strength iron pipe materials.
- ⌚ PStrengthen the toilet seat cover thickening.
- ⌚ Solid body with easy to clean..



**Size.** 1830L x 600W x 810H mm.

## EXAMINATION TABLE

- ⌚ Tubular Pipe framework. Top of M.S. Sheet with perforations.
- ⌚ Mounted on four 10 cms. dia castors (2 with brakes).
- ⌚ Drop side, safety railing at both side.
- ⌚ Pre-treated and epoxy powder coated finish.
- ⌚ Built in back rest, Safety railing on both sides, Designed with full length drop side railing.



**Mattress.** 1800L x 600W mm.


**Rod Size.** 1800L x 600W x 760H mm.



## EXAMINATION COUCH ( 2 SEL )




- ⊙ Strong Mild Steel Tubular frame work of MS material.
- ⊙ Manually Adjustable backrest on ratchet.
- ⊙ Top is covered with 50 mm thick water proof Mattress.
- ⊙ Epoxy Powder coated finishing.
- ⊙ Supplied in knock down condition with assembly tool Kit.



**Size.** 1800L x 600W x 760H mm.

## ELECTRICAL EXAMINATION COUCH

- ⊙ Strong Mild Steel Tubular frame work of MS material.
- ⊙ The product is treated by powder coated finishing.
- ⊙ Remote controlled Height Adjustsble from 560 to 1000 mm.
- ⊙ Top is covered by 50 mm PU mattress.
- ⊙ Manually Adjustable HEAD section. 125 mm castor.



**Size.** 1830L x 600W x 810H mm.





## GYNECOLOGICAL BED'S



### GYNE. DELIVERY TABLE [ 3 SECTION ]

- ④ Frame work of delivery table is constructed with
- ④ Rectangular & square mild steel material.
- ④ Mounted on PVC rubber stumps.
- ④ Complete with SS bowls and holder.
- ④ Height adjustable a pair of knee crutches.
- ④ Backrest, Seat and Leg section could be adjustable by hand lever.
- ④ Pre treated & epoxy powder coated.



**Size.** 1800L x 600W x 760H mm.

## GYNECOLOGY EXAMINATION BED

- ⊗ Framework made with mild steel material.
- ⊗ Top is made with CRCA Steel Sheet.
- ⊗ Delivery table in three section-Body, head and foot.
- ⊗ Perineal U Cut. Supplied with lithotomic poles.
- ⊗ Mounted on rubber shoes.
- ⊗ Epoxy powder coated finishing.



**Size.** 1800L x 500W x 800H mm.



## DELIVERY BED CUM EXMIN COUCH

- ⊗ Strong Mild Steel Tubular Frame work.
- ⊗ Adjustable head back rest on ratchet.
- ⊗ Provided with primal "U" Cut.
- ⊗ Supplied with S.S. bowl, lithotomic rods and SS IV rod.
- ⊗ Mounted On Heavy duty PVC rubber Stumps.
- ⊗ Top is covered with 50 mm thick PU foam mattress.
- ⊗ Supplied in knock down condition with assembly tool Kit.
- ⊗ Note: - Also Available In Fully Stainless Steel Material.



**Size.** 1800L x 600W x 750H mm.

## LABOUR DELIVERY BED

- ⊗ Frame work made with mild steel material.
- ⊗ Provided with primal "U" Cut.
- ⊗ Provision of leg holding lithotomic rods..
- ⊗ Provision of IV rod location.and lithotomic with strip
- ⊗ Epoxy powder coated finishing.



**Size.** 1870L x 680W x 800H mm.





## DELIVERY TABLE ( 3 SECTION )

- ⌚ Frame work Constructed with Stainless Steel material.
- ⌚ Adjustable Head and Leg Section through ratchet.
- ⌚ Top Is Upholstered and Covered With Water Proof Synthetically Material.
- ⌚ Complete With SS Bowl 32cm, with holder.
- ⌚ Pre treated and epoxy powder coated finishing..
- ⌚ Standard Padded Leg Holder. Mounted on PVC rubber



**Size.** 1800L x 600W x 760H mm.

## OBSTETRIC DELIVERY BED

- ⌚ Framework constructed with Mild steel material.
- ⌚ Two section table top, body section on PVC rubber stumps and leg section is on four swivel castors, two with breaks.Epoxy powder coated finishing.
- ⌚ Fitted with Lithotomic rods and padded leg holder.
- ⌚ Top is covered with PU foam water proof mattress. Solid body with easy to clean.



0 to 850mm.

**Body.** 1350L x 920W x 850H

**Leg.** 680L x 920W x 850H



## TELESCOPIC DELIVERY TABLE

- ⌚ Table top in three section backrest adjustable on ratchet
- ⌚ Middle section with U cut & leg section can slide completely under main frame.
- ⌚ The whole top can be tilted to trendelenburg position with the help of Gas spring.
- ⌚ **Accessories:-** Side Railing, Hand grip, IV stand, SS bowl and lithotomic with strip.



**Size.** 1870L x 680W x 800H mm.

## HYDL DELIVERY TABLE ( SS PANELS )

- ⊙ Mild Steel tubular frame work.
- ⊙ A raising and lowering of a table is actuated mechanically (foot pedal pump operated).
- ⊙ High density PU form Mattress.
- ⊙ Mobile on two lockable wheels of 10 cm.
- ⊙ IV rod for fluids and blood transfusion.
- ⊙ Basin under top for waste material.




Body.	800L x 300W mm.
Leg.	700L x 300W mm.



## OBSTETRIC DELIVERY BED

- ⊙ Framework constructed with Mild steel material. Fitted with Lithotomic rods and padded leg holder.
- ⊙ Top is covered with PU foam water proof mattress. body section on PVC rubber stumps.



Size.	2170Lx 1080W x 985H mm.
-------	-------------------------

## TELESCOPIC DELIVERY TABLE

- ⊙ Table top in three section backrest adjustable on ratchet
- ⊙ Middle section with U cut & leg section can slide completely under main frame.
- ⊙ The whole top can be tilted to trendelenburg position with the help of Gas spring.
- ⊙ Accessories:- Side Railing, Hand grip, IV stand, SS bowl and lithotomic with strip.



Size.	1870L x 680W x 800H mm.
-------	-------------------------



## GYNE. DELIVERY BED



- ⦿ Constructed with **stainless steel** rectangular steel tube.
- ⦿ Adjustable head section.
- ⦿ Leg section movable on castors of 75mm, 2 with breaks.
- ⦿ **ACCESSORIES:-** Lithotomic rods, Side Push Handels, SS



Size.

1800L x 610W x 800H mm.



## BED SIDE CABINET'S & LOCKER'S



### BED SIDE TABLE [ SS BODY ]

- ⦿ Constructed with **stainless steel** rectangular steel tube.
- ⦿ Adjustable head section.
- ⦿ Leg section movable on castors of 75mm, 2 with breaks.
- ⦿ Supplied in knock down condition with assembly tool Kit.
- ⦿ Also Available In Fully mild Steel Material.




Three Shelves.

**Size.** 350L x 350W x 900H mm.

## BED SIDE LOCKER ( SS BODY )

- ⌚ Strong MS tubular Frame work, on body.
- ⌚ Powder coated finishing, Anti corrosive body.
- ⌚ CRCA sheet cabinet with SS top .
- ⌚ Mounted on PVC rubber stamps. .




**Size.** 350L x 350W x 800H mm.



## BED SIDE LOCKER ( SS 2 DWAWER )

- ⌚ Framework constructed with MS material.
- ⌚ Mounted on 5 cm castor. Stainless steel top.
- ⌚ One small and a big cabinet located below the Top.




**Size.** 400L x 400W x 820H mm.



## BED SIDE LOCKER ( ABS BODY )

- ⌚ Storage Tray Increase the debris storage space, pull out the drawer to place objects such as water cups.
- ⌚ Folding debris rack Can be used to hang towels, clothes, and transport more convenient.
- ⌚ Push-pull drawer Order items in an orderly manner to make the space more adequate



**Size.** 480L x 480W x 790H mm.






# CABINET'S & LOCKER'S



## MEDICINE CABINET | CRCA BODY | ST-43

- ① Frame Work Constructed with CRCA Sheet.
- ② Two Glass Doors Available With Individual Key Locking.
- ③ Three Removable Glass Selves.
- ④ One Bottom Cabinet with Key Locking Facility.




Size. 350L x 350W x 900H mm.



## INSTRUMENT CABINET ( CRCA BODY )


- ⌚ Strong MS tubular Frame work, on body.
- ⌚ Three Sides closed. Provision of 2 glass Shelves.
- ⌚ Pre treated and epoxy powder coated finishing.
- ⌚ Front glass door with locking facility.



Size. 1800L x 750W x 450H mm.

## LOCKER'S ( SS QUADRUPLE )

- ⌚ Framework constructed with SS material.
- ⌚ Four Doors Available With Individual Key Locking.
- ⌚ Strong build quality.




Size. 400L x 400W x 820H mm.



## LOCKER'S ( SS SEXTETTE )

- ⌚ Framework constructed with SS material.
- ⌚ Six Doors Available With Individual Key Locking.
- ⌚ Strong build quality.



Size. 480L x 480W x 790H mm.






# CARTS'S & TROLLEY'S

## INSTRUMENT TROLLEY [ SS BODY ]


- ② Stainless steel Frame work.
- ② Three Stainless steel shelves.
- ② Provision of SS railing on both top and bottom shelves.
- ② Mounted on 4 x 100 castors, 2 with breaks.
- ② Supplied in knock down condition.



**Size.** 750L x 600W x 1000H mm.

## INSTRUMENT CABINET ( CRCA BODY )

- ⦿ Strong MS tubular Frame work, on body.
- ⦿ Three Sides closed. Provision of 2 glass Shelves.
- ⦿ Pre treated and epoxy powder coated finishing.
- ⦿ Front glass door with locking facility.




**Size.** 600L x 500W x 820H mm.



## DRESSING TROLLEY ( SS BODY )


- ⦿ Designed with SS bowl and SS bucket.
- ⦿ Frame Work Constructed With Stainless Steel Material.
- ⦿ Dressing Trolley Mounted On Four 7.5cm Swivel Castors, Two With Breaks And Two Without Breaks.
- ⦿ Two Stainless Steel Shelves At Bottom And Top.



**Size.** 920L x 500W x 820H mm.

## MEDICINE TROLLEY ( SS BODY )

- ⦿ Strong Stainless steel tubular Frame work.
- ⦿ Two Stainless Steel Sheet Shelves.
- ⦿ Top and bottom covered SS railing.
- ⦿ Provision of one smooth running drawer under top shelf.
- ⦿ Mounted on 100 mm swivel castors, 2 Equipped with Breaks.
- ⦿ Supplied in Knock Down condition, with assembly Kit.




**Size.** 600L x 500W x 820H mm.



## MEDICINE TROLLEY ( SS 4 DRAWER )




- ⊙ Strong MS tubular Frame work, on body.
- ⊙ Three Sides closed. Provision of 2 glass Shelves.
- ⊙ Pre treated and epoxy powder coated finishing.
- ⊙ Front glass door with locking facility.



**Size.** 600L x 500W x 820H mm.

## MEDICATION CART ( SS BODY )

- ⊙ SS Framework, SS shelves & railing.
- ⊙ Provision of 6 drawers with key lock.
- ⊙ 4 x 100 castors, 2 with brakes..




**Size.** 920L x 500W x 820H mm.



## OXYGEN CYLINDER TROLLEY

- ⊙ Frame of the cylinder trolley is made with MS tubular steel.
  - ⊙ Framework of the cylinder trolley mounted on two 10cm wheels.
  - ⊙ Finish in epoxy powder coated.
- Height:- 106Cm..




**Size.** 1060H mm.



### CRASH CART TROLLEY ( SS 6 DRAWER )

- ① Strong Stainless Steel tubular frame work.
- ② Six colour removable bins.
- ③ Two Polystyrene storage units with three drawers each.
- ④ Two drawers are With centre locking provision.
- ⑤ Mounted on 12.5cm swivel castors, two with Breaking.
- ⑥ Provision of Powder coated Oxygen Cylinder Holder & SS IV rod. Provision of push Handles on either sides.




**Size.** 600L x 500W x 820H mm.



### MAYO TROLLEY ( SS FIXED TRAY )

- ① Strong mild Steel tubular frame work.
- ② Mounted on 50 mm swivel castors.
- ③ Stainless Steel tray.
- ④ Manually adjustable height.
- ⑤ Supplied in Knock Down condition, with assembly Kit.




**Size.** 750 TO 1250H mm.



### OXYGEN CYLINDER TROLLEY

- ① Strong mild Steel tubular frame work.
- ② Mounted on 50 mm swivel castors.
- ③ Stainless Steel tray.
- ④ Manually adjustable height.
- ⑤ Supplied in Knock Down condition, with assembly Kit.



**Size.** 750 TO 1250H mm.






# OVER BED TABLE'S



## OVER BED TABLE [ MS BODY ]

- ⊗ Mild steel powder coated frame work.
- ⊗ Laminated wooden top.
- ⊗ 4 x 50 mm castors.
- ⊗ Manually adjustable height.




**Size.** 750L x 350W x 820/960H mm.

## OVER BED TABLE ( **FIXED** HEIGHT )




- ⊙ Laminated board Top.
- ⊙ Tubular steel frame work.
- ⊙ Mounted on four 5cm. castors.
- ⊙ Epoxy powder coated.
- ⊙ Top size:-106(L)\*45(W) cm.
- ⊙ Height:-95cm.
- ⊙ Made With Heavy Material.



**Size.** 1060L x 450W x 950H mm.

## HYDRAULIC OVER BED TABLE

- ⊙ Laminated board Top.
- ⊙ Tubular steel frame work.
- ⊙ Mounted on four 5cm. castors.
- ⊙ Manually adjustable height.
- ⊙ Epoxy powder coated.




**Size.** 750L x 350W x 820/960H mm.



## HYDRAULIC OVER BED TABLE SCREW HND

- ⊙ MS powder coated frame work.
- ⊙ Laminated wooden top, 4 x 50 mm castors.
- ⊙ Height adjustment with side crank handle.
- ⊙ Manually adjustable height.
- ⊙ Supplied in Knock Down condition, with assembly Kit.



**Size.** 750L x 350W x 820/960H mm.






# FOLDABLE & REGULAR STRETCHER'S

## FOLDING STRETCHER [ 2 FOLD ] ST-56


- ② Light weight Aluminium Columns.
- ② Teflon cloth in orange colour, Two Safety Strips
- ② Self weight 6.5 Kg, Carrying Capacity: 150 kgs.
- ② Super Strong & Durable.



Un-Fold	2200L x 600W x 130H mm.
Fold.	1100L x 100W x 150H mm.

## FOLDING STRETCHER ( UN-FOLD )

- ⊙ Frame constructed with ms steel Tubes  
Approx. Dia. 30 x 1.5mm.
- ⊙ With heavy duty washable cloth.
- ⊙ Carrying Capacity: Approx. 150Kg.
- ⊙ This model is also available with wheels.
- ⊙ Also Available in: - Stainless steel & Aluminum pipe.
- ⊙ Canvas Cloth Top, Tow Safety Strips.



**Size.** 2200L x 600W x 130H mm.



## PATIENT STRETCHER TROLLEY

- ⊙ MS Powder Coated Structure.
- ⊙ 150mm Castor, 2 With Breaks.
- ⊙ Removable Stretcher With Adjustable Back Rest.
- ⊙ 50mm PU Foam Mattress & IV Rod.
- ⊙ Comfortable Mattress.




**Size.** 2030L x 560W x 820H mm.



## PATIENT STRETCHER TROLLEY

- ⊙ Frame work of stretcher trolley constructed with strong mild steel Material.
- ⊙ Stretcher trolley mounted on 150 mm swiveling castor, two with breaks.
- ⊙ Removable stretcher, IV Road & Cylinder Cage, made with ms steel material supported on tubular frame.




**Size.** 2030L x 560W x 820H mm.





## STRETCHER TROLLEY

- ⦿ Frame work of stretcher trolley constructed with strong mild steel Material.
- ⦿ Stretcher trolley mounted on 150 mm swiveling castor, two with breaks.
- ⦿ Removable stretcher, made with ms steel material supported on tubular frame.
- ⦿ Pre-treated and epoxy powder coated.



**Size.** 2030L x 560W x 820H mm.

## PATIENT STRETCHER TROLLEY

- ⦿ Stretcher top on square tubular steel trolley mobile on four 150 mm dia swivel castors, 2 with brakes.
- ⦿ Head raise adjustable on ratchet.
- ⦿ This variant is come with SS safety side rails.
- ⦿ Comfortable 50mm PU Foam Mattress.




**Size.** 2030L x 560W x 820H mm.



## RECOVERY TROLLEY ( HYD LUXURY )

- ⦿ Durable frame; bed surface adopts imported PP material.
- ⦿ the imported hydraulic rise-and -fall system.
- ⦿ 200mm dia. central control dustproof castors.
- ⦿ 1 pair of collapsible side rails.
- ⦿ a maximum patient weight capacity of up to 200kg.




**Size.** 1905L x 750W x 580H/815 mm.



## EMERGENCY TROLLEY (HYD BASE)

- ⦿ Tubular trolley with foot operated pump for height adjustment.
- ⦿ Two sectional X-ray permissible top with head raised on ratchet.
- ⦿ Mobile on castors on 15 cm, two with breaks.
- ⦿ Smooth pneumatic pump mechanism to obtain head down position.
- ⦿ Provided with cylinder cage, utility tray.
- ⦿ One S.S. IV road and with safety side rails.
- ⦿ Pre treated and epoxy powder coated finishing.



Sth Size.	820L x 560W mm.
Size.	2100L x 670W x 560/850H mm.



## PATIENT STRETCHER TROLLEY

- ⦿ Made of high quality aluminium tube. Diameter of the castors:125mm.
- ⦿ Applicable for various kind of hospitals, emergency centers, ambulance and battle fields.
- ⦿ Load weight:>=120Kg.
- ⦿ Product weight:40Kg.
- ⦿ Comfortable mattress 35 mm.



Position A	1900L x 560W x 900H mm.
Position B	1900L x 560W x 280H mm.

## PATIENT STRETCHER TROLLEY



- ⊙ Made of high quality aluminium tube.  
Diameter of the castors:125mm.
- ⊙ Applicable for various kind of hospitals, emergency centers, ambulance and battle fields.
- ⊙ Load weight:>=120Kg.
- ⊙ Product weight:40Kg.
- ⊙ Comfortable mattress 35 mm.




Position A	1900L x 560W x 900H mm.
Position B	1900L x 560W x 280H mm.



## SCOOP STRETCHER ( ALUMINIUM )

- ⊙ Total Aluminium Structure.
- ⊙ Gross weight Scoop Stretcher: 11 kg.
- ⊙ Net Weight Of Scoop Stretcher : 9 kg
- ⊙ The bearing capacity of Scoop Stretcher : <159 kg



Min-Size	1680L x 430W x 70H mm.
Max-Size	2240L x 450W x 100H mm.
Pack Size	1270L x 450W x 100H mm.

## STRETCHER ACCESSORIES



HEAD IMMOBILIZER



IV POLE



OXYGEN TROLLEY




OXYGEN FLOW METER

## SPINE BOARD ( PE MADE )



- ⌚ Spine board is made of PE.
- ⌚ Light Weight
- ⌚ Durable, antiseptic and can be used in X-ray.
- ⌚ Load bearing: 159kg.
- ⌚ Durable and easy to grip the board.



**Size.** 1900L x 500W x 800H mm.




# WHEELCHAIR & WALKING AIDS

## FOLDING WHEELCHAIR




- ⊙ Wheel Chair Folding Rust less and silicon rubber tires which have long line and easy to operate.
- ⊙ Manual wheelchair - fixed armrest and footrest.
- ⊙ Chassis above Ground: Electroplated steel tube H.
- ⊙ Wheel: Electroplated steel tube Hand wheel.
- ⊙ Electroplated steel tube Armrest: PVC (Sponge).
- ⊙ Front Wheel: 8" Solid Rubber Tire.
- ⊙ Back Wheel: 24" Solid Rubber Tire.
- ⊙ Cushion: PVC.



**Size.** 1050L x 650W x 880H mm.

## FIXED WHEELCHAIR

- ⊗ 45cm metal seat & back..
- ⊗ Padded fixed arm rests front with 15 cm. solid castors & rear with 60 cm. solid wheels with brakes.
- ⊗ Carrying Capacity: Approx. 150Kg.
- ⊗ Pre-treated, epoxy coated finish.
- ⊗ Front Wheel: 8" Solid Rubber Tire.
- ⊗ Back Wheel: 24" Solid Rubber Tire.




**Size.** 1050L x 650W x 880H mm.



## CUSHION WHEELCHAIR

- ⊗ Wheel chair with cushion seat.
- ⊗ 45cm. cushioned seat & back, padded fixed arm rests, front with 15 cm. solid castor and rear with 60cm.
- ⊗ Pre-treated, epoxy coated finish.
- ⊗ solid wheels with brake.




**Size.** 1050L x 650W x 930H mm.



## MOTORIZED WHEELCHAIR

- ⊗ Chromed steel foldable, 18" seat width.
- ⊗ Battery on side, foldable electric wheelchair.
- ⊗ Foldable backrest, flip up PU armrest and detachable legrest.
- ⊗ 200\*50 PU castor, 8" PU rear wheel.
- ⊗ 300W motor\*2 lead-acid battery\*2, 12V 20AH.




**Size.** 1050L x 650W x 880H mm.



## COMMODE CHAIR


- ⊗ 45cm metal seat & back..
- ⊗ Padded fixed arm rests front with 15 cm. solid castors & rear with 60 cm. solid wheels with brakes.
- ⊗ Carrying Capacity: Approx. 150Kg.
- ⊗ Pre-treated, epoxy coated finish.
- ⊗ Front Wheel: 8" Solid Rubber Tire.
- ⊗ Back Wheel: 24" Solid Rubber Tire.



**Size.** 410L x 460W x 560H mm.

## COMMODE CHAIR

- ⊗ High-grade imitation leather seat
- ⊗ Foldable design.
- ⊗ High strength iron pipe materials.
- ⊗ PStrengthen the toilet seat cover thickening.
- ⊗ Solid body with easy to clean..




**Size.** 410L x 460W x 560H mm.



## COMMODE STOOL

- ⊗ Bath chair, sit chair, folding chair, mobile chair.
- ⊗ Seat can be foldable, indeformable, clean easily.
- ⊗ High strength engineering plastic and steel, wear resisting anti-skid soft glue plug.
- ⊗ Lightweight, small and exquisite.



**Size.** 410L x 460W x 560H mm.

